

# Coin and Token Shower Timers for Four to Twelve Showers

## SLZA 02NKZ




### Characteristics



- **hygienic flush**
- **vandal-proof**
- **choice of shower by the user in the menu**
  - the user selects the shower number with a button (displayed on the screen), inserts coins or a token, and confirms the selected shower number with the button
- **interactive control**
  - after inserting a coin or a token the device starts water flow on several seconds to indicate the chosen shower
  - the user can start or stop the water flow directly in the shower
  - 30 s before the end of water supply the user is warned by interrupting of water flow
  - the device adds up the coins but does not return
  - **recessed**
  - parameters adjustment using by the remote control SLD 05 (adjustment of shower time according to the thrown coin or token, time delay of switch on, possible activation of hygienic flush, current euro exchange, token value, display contrast, possibility switch off some from showers)
  - marking of the buttons by symbols could be made to order
  - the possibility of obtaining the statistical information, device diagnostics
  - **lockable**
  - for indoor use, temperature range +5 to +40 °C
  - material stainless steel AISI 304 (1.4301)
  - **brushed finish**

### Installation Drawing



### Technical Specification

**Niche dimensions**

335 x 200 x 125 mm

**Dimensions**

360 x 225 x 133 mm

**Weight**

6,2 kg

**Thickness of material**

1,5 mm

**Operating voltage**

24 V DC

**Power input**

91 W (depends on the accessories and the number of showers)

**Accepted coins**

1 and 2 €, token (other currencies on request)

**Showering time**

5 - 1200 sec.

## Supply Specification

**SLZA 02KNZ - Supply No. 89024** stainless steel coin device with electronics, coin holder and coin box, set of keys (2 pcs.), mountig frame

## Required Accessories



**SLZA 15A**

**88151**

Distributor of solenoid valves and contactors

**SLZA 17A**

**88171**

Piezo button distributor



**SLZA 20P**

**88207**

Shower control with piezo button  
- premixed water



**SLZA 20PH**

**88208**

Shower control with piezo button  
- for cold and hot water, temperature regulated  
by mixer



**SLZA 20PTA**

**88202**

Shower control with piezo button  
- for cold and hot water, temperature regulated  
by thermostatic mixer



**SLZA 21P**

**88217**

Stainless steel shower panel with piezo  
button - premixed water



**SLZA 21PH**

**88218**

Stainless steel shower panel with piezo  
button - for cold and hot water, temperature  
regulated by mixer



**SLZA 21PT**

**88219**

Stainless steel shower panel with piezo button - for cold and hot water, temperature regulated by thermostatic mixer

## Recommended Accessories

<b>SLZ 01Y</b>	- <a href="#">Supply No. 05012</a>	power supply 24 V DC for operating of max. 5 pcs. of showers
<b>SLZ 01Z</b>	- <a href="#">Supply No. 05011</a>	power supply 24 V DC for operating of max. 9 pcs. of showers
<b>SLZ 04Y</b>	- <a href="#">Supply No. 05042</a>	power supply 24 V DC for DIN rail, for operating of max. 5 pcs. of showers
<b>SLZ 04Z</b>	- <a href="#">Supply No. 05041</a>	power supply 24 V DC for DIN rail, for operating of max. 9 pcs. of showers
<b>SLZ 04X</b>	- <a href="#">Supply No. 10049</a>	power supply 24 V DC for DIN rail, for operating of max. 15 pcs. of showers
<b>SLD 05</b>	- <a href="#">Supply No. 07050</a>	remote control for an adjustment of parameters
<b>SLA 03</b>	- <a href="#">Supply No. 06030</a>	vandal-proof shower head
<b>SLA 39</b>	- <a href="#">Supply No. 06390</a>	vandal-proof shower head
<b>SLA 40</b>	- <a href="#">Supply No. 06400</a>	vandal-proof shower head with possibility to set an angle of water flow
<b>SLZA 50</b>	- <a href="#">Supply No. 88500</a>	set of 50 pcs. of tokens for coin machine